# Subject Index


A

Abiotic agents
  forest pathology and, 19–27
Academic freedom
  intellectual property protection and, 29
Access to information
  intellectual property protection and, 31–32
ACeDB database
  *Caenorhabditis elegans* genome and, 262
AC genes
  begomoviruses and, 372–74, 377, 381, 389
Achromobactin
  iron in plant host-Erwinia interactions and, 313–14, 318–19, 322, 324
*Acremonium lolo*
  evolution of asexual fungi and, 217
*Acrobeles* spp.
  nematode community structure and, 130
*acs* gene
  crown gall of grape and, 57, 62–63
Actidione BR
  forest pathology and, 24
Actinomycetes
  polyketides in *Pseudomonas* spp. and, 175, 178, 190
Actinorhodin
  polyketides in Pseudomonas spp. and, 177, 189
Active defenses
  phytoalexins and, 285–300
Aerobactin
  iron in plant host-Erwinia interactions and, 309, 312–13, 317–19
Afghanistan
  host-beneficial microbe interactions and, 475–76
Aflatoxins
  evolution of asexual fungi and, 227
*aflR* gene
  melanins of phytopathogenic fungi and, 451
Africa
  begomoviruses and, 370–71, 375–76, 378, 384, 389–91
  evolution of asexual fungi and, 213
African violets
  iron in plant host-*Erwinia* interactions and, 313–14, 320, 325
*Agaricus bisporus*
  evolution of asexual fungi and, 209, 222, 224
*Agrobacterium tumefaciens*
  crown gall of grape and, 53, 60–64, 66–67
  intellectual property protection and, 44
  PCR genome analysis of bacteria and, 94–95, 99, 105
  tomato-*Cladosporium fulvum* interaction and, 347
*Agrobacterium vitis*
  crown gall of grape and, 53–74
  PCR genome analysis of bacteria and, 95
Air pollution
  impacts on forests and, 19, 25
Alabama
  forest pathology and, 20, 23
Alanine
  tomato-*Cladosporium fulvum* interaction and, 341–42
Alfalfa
  host-beneficial microbe interactions and, 479–80
  nematode community structure and, 142
Algae
  iron in plant host-*Erwinia* interactions and, 322
*AL* genes
  begomoviruses and, 373
*alkA* gene
  iron in plant host-Erwinia interactions and, 319
*ALM* gene
  melanins of phytopathogenic fungi and, 450
*Alopecurus myosuroides*
  climate change and plant disease management, 410
*Alternaria* spp.
  melanins of phytopathogenic fungi and, 450, 452
  *Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
American Cyanamid
  intellectual property

protection and, 44
Amino acids
begomoviruses and, 373, 378
crown gall of grape and, 61–62
polyketides in *Pseudomonas* spp. and, 178, 181–82, 187, 190
tomato-*Cladosporium fulvum* interaction and, 340–42, 346–47, 354
Amplification
crown gall of grape and, 58
evolution of asexual fungi and, 203–4
PCR genome analysis and, 100
Amplified fragment length polymorphism (AFLP) genomic analysis
evolution of asexual fungi and, 203
PCR genome analysis of bacteria and, 81, 87–88
tomato-*Cladosporium fulvum* interaction and, 336
Amplified ribosomal DNA restriction analysis (ARDRA)
genomic analysis of bacteria and, 81, 104–5
Anamorphs
Septoria and Stagonospora spp. on small-grain cereals and, 267–68, 274
Anastomosis groups
evolution of asexual fungi and, 217–18
Ancestral variation
evolution of asexual fungi and, 202–3
*Angiostrongylus cantonensis*
*Caenorhabditis elegans* genome and, 252
Angola
begomoviruses and, 378
*Anguina* spp.
*Caenorhabditis elegans* genome and, 261
nematode community structure and, 132
Annosus root rot
forest pathology and, 25
Anonymous DNA
PCR genome analysis and, 100
Antibiosis
biocontrol within context of soil microbial communities and, 427–40
Antibiotics
crown gall of grape and, 67–69, 73
forest pathology and, 24
iron in plant host-Erwinia interactions and, 326
melanins of phytopathogenic fungi and, 458
polyketides in *Pseudomonas* spp. and, 175, 177, 181, 183–84, 188–89
Antibodies
begomoviruses and, 370
crown gall of grape and, 72
melanins of phytopathogenic fungi and, 459
tomato-*Cladosporium fulvum* interaction and, 342
Antifungals
polyketides in *Pseudomonas* spp. and, 175, 184–89
Antigenic variation
begomoviruses and, 369–93
Antiparasitics
polyketides in *Pseudomonas* spp. and, 175
Antisense constructs
intellectual property protection and, 39, 43
*Aphanomyces euteichies*
phytoalexins and, 294
*Aphelenchus* spp.
nematode community structure and, 133
*Aphelencoides* spp.
nematode community structure and, 132–33
Apoplasm
iron in plant host-*Erwinia* interactions and, 321–22
AP-PCR and Rapd-based genomic fingerprinting (AP-PCR/RAPD)
PCR genome analysis of bacteria and, 81, 85
Apple
iron in plant host-*Erwinia* interactions and, 315
melanins of phytopathogenic fungi and, 457
Appressoria
melanins of phytopathogenic fungi and, 447–63
*Arabidopsis thaliana*
biocontrol within context of soil microbial communities and, 432
host-beneficial microbe interactions and, 482
PCR genome analysis of bacteria and, 110
phytoalexins and, 289, 291, 295
polyketides in *Pseudomonas* spp. and, 180
tomato-*Cladosporium fulvum* interaction and, 347, 352, 354, 356

Arbuscular mycorrhizal fungi
host-beneficial microbe interactions and, 473–87
Arizona
climate change and plant disease management, 407
evolution of asexual fungi and, 227
*Armillaria* spp.
climate change and plant disease management, 406
evolution of asexual fungi and, 198, 209, 221–22, 226
melanins of phytopathogenic fungi and, 461
Asexual fungi
evolution of
ancient asexual organisms, 235–36
changes in reproduction in historical time, 219–20
changes in reproduction in short term, 219–20
clonality, 200–1
demonstrating existence of truly asexual fungi, 231–33
disease cycles, 213
evolution and maintenance of sexual recombination, 231–36
formae speciales, 212–13
fungi lacking sexual morphology and throught to reproduce clonally, 227–30
future research, 236–37
genetic diversity, 233–34
genetic isolation, 204–7, 212–13
genomic fitness, 234–35
glossary, 237–38
group I, 207–21
group II, 220–22
group III, 222–26
group IV, 227–30
heterothallic fungi with mitospores, 207–21
heterothallic fungi with no mitospores, 220–22
heterothallic fungi with or without mitospores, 222–26
introduction, 197–99
large-scale differences in population structure, 214–15
local to regional scale differences in population structure, 217–18
modification of spatial differences by migration of sexual progeny, 215–16
mutations, 234–35
phylogenetic species concept, 204–7
polymorphic loci, 201–3
pseudohomothallism, 224–26
recombination, 200–1
Red Queen hypothesis, 233–34
reproduction based on biotic factors, 211–13
reproduction based on spatial distribution, 213–18
reproduction over time, 218–20
reproductive modes in fungi, 199–207
reproductive strategies, 207–30
self-fertilization, 211
two-host requirement, 211–12
unrealized potential for recombination in geographically separated populations, 217
Asexual propagation
intellectual property protection and, 33
Asia
begomoviruses and, 375, 390–91
climate change and plant disease management, 402, 412
evolution of asexual fungi and, 214, 218
forest pathology and, 20
*Asparagus officinale*
nematode community structure and, 135–36
Aspartate
polyketides in *Pseudomonas* spp. and, 182
*Aspergillus* spp.
biocontrol within context of soil microbial communities and, 430
crown gall of grape and, 66
evolution of asexual fungi and, 209–10, 222, 227–28
melanins of phytopathogenic fungi and, 450–51, 460
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 271
tomato-*Cladosporium fulvum* interaction and, 341
Atrazine
nematode community structure and, 136
Attine ants
evolution of asexual fungi and, 236
Aureobasidium pullulans
melanins of phytopathogenic fungi and, 459
Australia
begomoviruses and, 373, 375–76
climate change and plant

disease management, 402, 404, 412
crown gall of grape and, 56
evolution of asexual fungi and, 215–16, 218, 227–28, 230
forest pathology and, 26
intellectual property protection and, 44
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 277
Auxins
intellectual property protection and, 44
*AV* genes
begomoviruses and, 372–75, 377
*avr* genes
PCR genome analysis of bacteria and, 100
phytoalexins and, 291
tomato-*Cladosporium fulvum* interaction and, 339–43, 345, 347, 349–60

**B**

*Bacillus* spp.
biocontrol within context of soil microbial communities and, 430
host-beneficial microbe interactions and, 482
iron in plant host-*Erwinia* interactions and, 318
Bacteria
biocontrol within context of soil microbial communities and, 427–40
*Caenorhabditis elegans* genome and, 254, 256
climate change and plant disease management, 410–11
crown gall of grape and, 53–74
host variation for interactions with beneficial plant-associated microbes and, 473–87
intellectual property protection and, 35
iron in plant host-*Erwinia* interactions and, 309–26
nematode community structure and, 127–45
PCR genome analysis and, 81–114
phytoalexins and, 285–300
polyketides in *Pseudomonas* spp. and, 175–90
See also Phytobacteria
Bacterial ring rot
PCR genome analysis of bacteria and, 93
Barberry
evolution of asexual fungi and, 211, 220
Bar codes
PCR genome analysis of bacteria and, 89
Bark
iron in plant host-*Erwinia* interactions and, 321
Barley
climate change and plant disease management, 404–5, 408, 413
evolution of asexual fungi and, 199
melanins of phytopathogenic fungi and, 452
nematode community structure and, 140, 142
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 269–70, 273–78
tomato-*Cladosporium fulvum* interaction and, 352
Basal wounds
forest pathology and, 21
Bayh-Dole Act (1980)
intellectual property protection and, 30, 49
BC genes
begomoviruses and, 377–79, 389
Bean
begomoviruses and, 371, 376, 380, 387
evolution of asexual fungi and, 212
host-beneficial microbe interactions and, 478–79
PCR genome analysis of bacteria and, 112
Beet
begomoviruses and, 376
Begomoviruses
future research, 392–93
genomes
acquisition of extra DNA components, 378–79
begomovirus-related sequences in plant genome, 390–91
ecology, 387–90
evolution, 387–90
geminivirus genera, 383
genus *Begomovirus*, 383–87
methods of detecting recombination, 380–83
mutation, 377–78
pseudo-recombination, 379–80
recombination, 380–87
structure, 372–74
variability, 374–77
geography-related antigenic variation, 371–72
introduction, 369–70
serological relationships, 370–71
taxonomy, 391–92

*Bemisia tabaci*
begomoviruses and, 369–93
"Bermuda statement"
*Caenorhabditis elegans* genome and, 250
*Beta vulgaris*
nematode community structure and, 128
Biocontrol
host-beneficial microbe interactions and, 473–87
within context of soil microbial communities
composting, 429–32
disease-suppressive microbial communities, 429–31
enhanced disease in fresh organic matter amendments, 432–34
free nutrients in failed biological control, 433–34
future directions, 440
introduction, 427–29
precolonized, partially decomposed organic matter sustains biological control, 434–38
shifts in composition of biocontrol agents relative to soil organic matter quality, 438–40
soil organic matter quality relative to biocontrol agent activity, 432–38
specific suppression, 431–32
substrates, 431–32
successful strategies, 431–32
"Biolistic" transformation technology
intellectual property protection and, 44
Biological control agents
crown gall of grape and, 53, 73
Biological species concept
evolution of asexual fungi and, 204–5
Biomass
biocontrol within context of soil microbial communities and, 427–40
host-beneficial microbe interactions and, 482
nematode community structure and, 127–45
Biotic agents
evolution of asexual fungi and, 211–13
forest pathology and, 19–27
*Biverticillium* spp.
evolution of asexual fungi and, 206–7
Blackgrass
climate change and plant disease management, 410
Black sheaf leaf disease
melanins of phytopathogenic fungi and, 454
Blights
climate change and plant disease management, 407, 412, 414
forest pathology and, 20
*Blumeria* spp.
evolution of asexual fungi and, 198–99, 208, 217
Bona fide intent to use
intellectual property protection and, 32
*Bordetella* spp.
iron in plant host-*Erwinia* interactions and, 312, 319
Botryotinia fuckeliana
evolution of asexual fungi and, 208, 212–13, 217
*Botrytis* spp.
climate change and plant disease management, 407
phytoalexins and, 298
*Bradyrhizobium* spp.
crown gall of grape and, 58
host-beneficial microbe interactions and, 477
Brazil
begomoviruses and, 371
Breeder's rights
intellectual property protection and, 29, 35–36
*Brenneria salicis*
PCR genome analysis of bacteria and, 95
Britain
evolution of asexual fungi and, 222
British Technology General
intellectual property protection and, 44
*BRM1* gene
melanins of phytopathogenic fungi and, 450
Bromacil
nematode community structure and, 136
Brome mosaic virus (BMV)
RNA viral 3′-untranslated regions and, 151–68
Brown spot
PCR genome analysis of bacteria and, 113
*Brugia malayi*
*Caenorhabditis elegans* genome and, 252–53, 255
Bud kill
crown gall of grape and, 72
Buds
iron in plant host-*Erwinia* interactions and, 316
*Burkholdaria* spp.
PCR genome analysis of bacteria and, 95, 103
Burkina Faso
begomoviruses and, 371
*BV* genes
begomoviruses and, 377–80, 389

C
Cabbage
begomoviruses and, 380
evolution of asexual fungi and, 223
*Caenorhabditis elegans*
genome
conserved synteny, 254–56
dauers, 261–62
EST projects, 251–54
exploiting *C. elegans* for gene discovery in parasitic nematodes, 251–56
future research, 262–63
introduction, 247–50
linkage, 258–60
overview, 250–51
nematode community structure and, 133
parasite genetics, 256–62
pathways in parasites, 260–62
phylum-wide role for parasitism genes, 260–62
physical genetic mapping, 258–60
relevance of genome project, 248–50
California
crown gall of grape and, 54
evolution of asexual fungi and, 216, 221, 224, 227–28
intellectual property protection and, 34
Cameroon
begomoviruses and, 384
nematode community structure and, 128
Canada
evolution of asexual fungi and, 220, 223
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 276
Canola
evolution of asexual fungi and, 223
Canopy
crown gall of grape and, 70
Carbon
polyketides in *Pseudomonas* spp. and, 187–88
Carbon dioxide ($CO_2$)
climate change and plant disease management, 404–5
Caribbean region
begomoviruses and, 390
PCR genome analysis of bacteria and, 92, 98
Carrot
climate change and plant disease management, 406
Cascade mountains
evolution of asexual fungi and, 228
Cassava
begomoviruses and, 371, 376, 384, 387, 389
PCR genome analysis of bacteria and, 101
*cbrABCD* operon
iron in plant host-*Erwinia* interactions and, 319–20
*cbs* gene
iron in plant host-*Erwinia* cbs gene cinteractions and, 317–18
*ccr* gene
polyketides in *Pseudomonas* spp. and, 181
Cell lines
intellectual property protection and, 29
Cellular signaling
iron in plant host-*Erwinia* interactions and, 307–10
Cenococcum geophilum
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
Central America
PCR genome analysis of bacteria and, 92, 98
*Cephalenchus emarginatus*
nematode community structure and, 138
*Ceratocystis* spp.
evolution of asexual fungi and, 208
Cereal grains
melanins of phytopathogenic fungi and, 447–63
*Septoria* spp. and, 267–69, 271–72, 277–79
*Stagonospora* spp. and, 267–69, 271–72, 274, 277–79
Cessation bodies
melanins of phytopathogenic fungi and, 460
Cetus Corporation
intellectual property protection and, 42
*cfa* genes
polyketides in *Pseudomonas* spp. and, 181–82
*Cf* genes
tomato-*Cladosporium fulvum* interaction and, 335, 342–60
*cfl* genes
polyketides in *Pseudomonas* spp. and, 181–82
Chemical control
climate change and plant disease management, 409–10
Chemotherapeutic compounds

polyketides in *Pseudomonas* spp. and, 175
Chestnut
forest pathology and, 20
iron in plant host-*Erwinia* interactions and, 321
China
begomoviruses and, 375–76
climate change and plant disease management, 413, 417
*Chondrilla juncea*
evolution of asexual fungi and, 233
Chromosomes
crown gall of grape and, 58–59, 62, 65–67, 71, 74
Chrysobactin
iron in plant host-*Erwinia* interactions and, 309, 313–22, 324–25
*Cirrenalia pygmea*
melanins of phytopathogenic fungi and, 453
Citrus canker
PCR genome analysis of bacteria and, 101, 113
City parks
forest pathology and, 19
Civilian Conservation Corps (CCC)
forest pathology and, 21
*Cladina* spp.
nematode community structure and, 144
Cladistics
crown gall of grape and, 58
evolution of asexual fungi and, 206, 213, 229
*Cladosporium fulvum*
phytoalexins and, 290
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
*Cladosporium fulvum*-tomato interaction
analogies between Cf gene diversification and versatility of innate immune system found in mammals, 351–52
avirulence factors, 352–57
AVR4 and AVR9 elicitors and their encoding genes, 340
*Cf-2*, *Cf-4*, *Cf-5*, and *Cf-9* genes, 346–48
*Cf-4* and *Cf-9*-mediated resistance, 342–43
*Cf* gene organization allows sequence diversification and generation of new recognitional specificities, 348–51
*C. fulvum* overview, 335–37
compatible interaction, 337
defense responses induced after elicitor perception, 355–57
ECP2 extracellular protein, 343–45
exploitation of Cf genes and matching Avr genes in molecular resistance breeding, 357–60
extracellular proteins, 345–46
incompatible interaction, 337
introduction, 335–37
pathogenicity, 338–39
race-specific elicitors as determinants of genotype-specific avirulence, 339–43
resistance genes in tomato against *C. fulvum*, 346–52
structure-function analysis of AVR proteins, 340–42
tomato genotype-specific resistance, 339–40
virulence, 338–39
virulence factors with elicitor properties, 343–46
*Clavibacter* spp.
PCR genome analysis of bacteria and, 90, 97–98, 101, 104, 107, 110
Climate
begomoviruses and, 369–93
impacts on forests and, 19, 25
Climate change
plant disease management and
chemical control, 409–10
climate matching, 412
climate variability as analogue for climate change, 417
CO2 level elevation, 404–5
components of climate change, 401–2
crops, 402–3, 406–7
empirical models, 413
exclusion, 411
future research, 417–19
geographical distribution of host and pathogen, 403–4
host resistance, 408–9
impact models, 411–17
impacts on disease management, 408–11
introduction, 399–401
microbial interactions, 410–11
physiology of host-pathogen interactions, 404–8
plant pathosystems, 403–8
population models, 414
prospects and limitations of modeling, 415–17
quarantine, 411
regional impact assessment, 407–8

simulation models, 414–15
temperature elevation, 405–6
Clonal reproduction
crown gall of grape and, 62
evolution of asexual fungi and, 197–36
intellectual property protection and, 34, 39, 43
PCR genome analysis of bacteria and, 100
*Clostridium* spp.
PCR genome analysis of bacteria and, 102
*cma* genes
polyketides in *Pseudomonas* spp. and, 182
*CMR1* gene
melanins of phytopathogenic fungi and, 450
*Coccidioides immitis*
evolution of asexual fungi and, 210, 227
Coccinella *septempunctata*
climate change and plant disease management, 411
*Cochliobolus* spp.
evolution of asexual fungi and, 208, 231
melanins of phytopathogenic fungi and, 450, 452
phytoalexins and, 296
Coevolution
evolution of asexual fungi and, 236
*coi1* mutant
polyketides in *Pseudomonas* spp. and, 180–81
*Colletotrichum* spp.
climate change and plant disease management, 405–9
evolution of asexual fungi and, 212, 216–17
melanins of phytopathogenic fungi and, 450–52, 459
phytoalexins and, 285, 294
Colombia
begomoviruses and, 380
Commercial landscapes
forest pathology and, 19
"Commercially attractive" topics intellectual property protection and, 49
Community structure
nematode
effect of plants on, 127–45
Companies/corporations
intellectual property protection and, 39–44, 48–49
Competition
biocontrol within context of soil microbial communities and, 427–40
Composting
biocontrol within context of soil microbial communities and, 427, 429–32
Computer-assisted pattern analysis
PCR genome analysis of bacteria and, 81, 83–84, 89–90
Conduct of research
intellectual property protection and, 29–50
Conflicts of interest
intellectual property protection and, 29
Consensus trees
evolution of asexual fungi and, 205
Conserved synteny
*Caenorhabditis elegans* genome and, 254–56
Consultative Group for International Agricultural Research (CGIAR)
intellectual property protection and, 49
Contigs
*Caenorhabditis elegans* genome and, 259
Cooperative Extension Service (CES)
intellectual property protection and, 30
Copy DNA (cDNA)
*Caenorhabditis elegans* genome and, 250–51
iron in plant host-*Erwinia* interactions and, 322
phytoalexins and, 289
tomato-*Cladosporium fulvum* interaction and, 345–46
Copyrights
intellectual property protection and, 29, 33
Coregulation
iron in plant host-*Erwinia* interactions and, 319–20
cor genes
polyketides in *Pseudomonas* spp. and, 182
Corn
host-beneficial microbe interactions and, 479–81
intellectual property protection and, 36–37, 46–48
See also Maize; *Zea mays*
Coronafacic acid
polyketides in *Pseudomonas* spp. and, 177–82, 190
Coronamic acid
polyketides in *Pseudomonas* spp. and, 177–82
Coronatine

PCR genome analysis of bacteria and, 100
polyketides in *Pseudomonas* spp. and, 175, 177–83, 190
*Corynebacterium diphtheriae*
iron in plant host-*Erwinia* interactions and, 317
Cosmids
tomato-*Cladosporium fulvum* interaction and, 344, 346
Costa Rica
PCR genome analysis of bacteria and, 98
Cotton
begomoviruses and, 371, 376, 381–82, 384–89, 392
climate change and plant disease management, 407
intellectual property protection and, 48
Cowpea
phytoalexins and, 291
*CP* gene
begomoviruses and, 372, 375–88, 392–83
*Criconema* spp.
nematode community structure and, 130
Critical distance
history of research, 9
*Cronartium* spp.
evolution of asexual fungi and, 209, 211, 228
Crops
climate change and plant disease management, 402–3, 406–7, 419
crown gall of grape and, 70
evolution of asexual fungi and, 223
nematode community structure and, 127–45
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270
Crown gall of grape
*Agrobacterium vitis*, 54–55, 67, 70–73
*Agrobacterium vitis*-free propagation material, 72–73
biological control, 73
chromosomal genes, 66–67
chromosome structure, 58–59
endophytic survival, 69
future research, 74
genes associated with host-pathogen interactions, 59–60
genetic diversity, 55–67
genetic engineering, 73
grape necrosis, 67
indexing for A. vitis, 70–72
introduction, 53–54
management, 70–73
survival in soil and plant tissue, 68–70
T-DNA oncogenes, 61
T-DNA structures, 61–64
tartrate utilization plasmids, 65–66
Ti plasmid genes, 60–61
Ti plasmid structure, 56–59
vir genes, 60–61
Crucifers
polyketides in *Pseudomonas* spp. and, 180
*Cryphonectria* spp.
evolution of asexual fungi and, 198, 208, 211, 234
*Cryptococcus neoformans*
melanins of phytopathogenic fungi and, 448, 459, 461
Cucumopine
crown gall of grape and, 56, 62–63
Cucurbits
begomoviruses and, 387
host-beneficial microbe interactions and, 482
PCR genome analysis of bacteria and, 97, 106
Cultivars
*Caenorhabditis elegans* genome and, 257
crown gall of grape and, 53–54, 69–70, 72–73
host-beneficial microbe interactions and, 473–87
intellectual property protection and, 33–41
phytoalexins and, 290, 298
tomato-*Cladosporium fulvum* interaction and, 339
*Curtovirus* genus
begomoviruses and, 383
*cus* gene
crown gall of grape and, 62–63
Cuttings
crown gall of grape and, 69, 71–72
Cysteine
polyketides in *Pseudomonas* spp. and, 178
tomato-*Cladosporium fulvum* interaction and, 340–42, 346
Cysts
*Caenorhabditis elegans* genome and, 261–62
Czechoslovakia
evolution of asexual fungi and, 199

## D

*daf* genes
*Caenorhabditis elegans* genome and, 260–61
Dark pigmentation
melanins of phytopathogenic fungi and, 447–63
*Datura stramonium*

crown gall of grape and, 60
Dauers
*Caenorhabditis elegans* genome and, 260–62
Daunorubicin
polyketides in *Pseudomonas* spp. and, 177
Decay
wood product forest pathology and, 19, 21–23
Decimal Code
history of research, 5–6
Decomposers
biocontrol within context of soil microbial communities and, 427–40
nematode community structure and, 133–34
Defense
iron in plant host-*Erwinia* interactions and, 321–22
tomato-*Cladosporium fulvum* interaction and, 335
DeKalb Genetics Corporation
intellectual property protection and, 44
*Deladenus* spp.
nematode community structure and, 133
Deletion mutants
crown gall of grape and, 73
Denmark
nematode community structure and, 144
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 274
6-Deoxyerythronolide (DEBS)
polyketides in *Pseudomonas* spp. and, 177, 189
Desferrioxamine
iron in plant host-*Erwinia* interactions and, 313, 316, 319, 323, 326
Detritus food web
nematode community structure and, 142–43
Deuteromycetes
tomato-*Cladosporium fulvum* interaction and, 335–60
2,4-Diacetylphloroglucinol (DAPG)
polyketides in *Pseudomonas* spp. and, 175, 184–85, 188–90
DFO mutant
iron in plant host-*Erwinia* interactions and, 315–16, 319, 324
Diagnosis
disease
PCR genome analysis of bacteria and, 81–114
Dice's coefficient
PCR genome analysis of bacteria and, 90
Dicots
begomoviruses and, 369–93
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270
*Dictyocaulus viviparus*
*Caenorhabditis elegans* genome and, 252
1,8 Dihydroxynaphthalene (DHN) pathway
melanins of phytopathogenic fungi and, 448–52, 459
Dikaryons
evolution of asexual fungi and, 221–22, 226, 228
*Diphtherophora* spp.
nematode community structure and, 133
*Diplogaster* spp.
nematode community structure and, 130, 133
Discoloration
wood product forest pathology and, 19, 21–23
Disease
biocontrol within context of soil microbial communities and, 429–31
climate change and plant disease management, 399–419
crown gall of grape and, 53–74
evolution of asexual fungi and, 213
of forest and shade tress, 19–27
host-beneficial microbe interactions and, 473–87
iron in plant host-*Erwinia* interactions and, 307–26
melanins of phytopathogenic fungi and, 447–63
PCR genome analysis of bacteria and, 81–114
phytoalexins and, 285–300
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
Distance constant
history of research, 9
Diversity
genetic
*Caenorhabditis elegans* genome and, 253, 259
crown gall of grape and, 53–74
evolution of asexual fungi and, 202–3, 214–15, 217, 219, 226, 233–34
nematode community structure and, 127–45
PCR genome analysis of bacteria and, 81–114
space, time and, 1–14

DNA constructs
intellectual property protection and, 42–43
Dominican Republic
begomoviruses and, 380
*Dorylaimellus* spp.
nematode community structure and, 132
*Drechslera avenae*
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
*Drosophila* spp.
*Caenorhabditis elegans* genome and, 249
Dry rot
phytoalexins and, 295
*Ds-elements*
tomato-*Cladosporium fulvum* interaction and, 348
*Dunaliella salina*
iron in plant host-*Erwinia* interactions and, 322
DuPont Corporation
intellectual property protection and, 48
Dutch elm disease
evolution of asexual fungi and, 218
forest pathology and, 20, 25

E

Ecologically-based pest management approaches (EPBM)
PCR genome analysis of bacteria and, 82
Ecology
melanins of phytopathogenic fungi and, 460–63
nematode community structure and, 134
Economics
forest pathology and, 19
*Ecp genes*
tomato-*Cladosporium fulvum* interaction and, 338, 340, 343–46, 351, 355
ECP2 extracellar protein
tomato-*Cladosporium fulvum* interaction and343–45
*efe* gene
PCR genome analysis of bacteria and, 100
Electron transfer
iron in plant host-*Erwinia* interactions and, 322
Elicitors
phytoalexins and, 290–91
tomato-*Cladosporium fulvum* interaction and, 335–60
*Elsinoe australis*
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
Endophytes
crown gall of grape and, 67, 69
Enhancers
RNA viral 3′-untranslated regions and, 151–68
*ent*CEBAP operon
iron in plant host-*Erwinia* interactions and, 317–18
Enterobactin
iron in plant host-*Erwinia* interactions and, 309, 318
Entomology
forest pathology and, 25
Environmental deterministic hypotheses
evolution of asexual fungi and, 233–35
*Epichloë typhina*
evolution of asexual fungi and, 217
Epidemiology
climate change and plant disease management, 399–419
Epigenetic effects
evolution of asexual fungi and, 201
EPIPRE project
history of research, 3–4, 7, 10–12
*Erisyphe graminis*
climate change and plant disease management, 405
*Erwinia* spp.
crown gall of grape and, 66
iron interactions between plant hosts and acquisiton of iron in host plant, 313
apoplasm, 322
cellular signaling, 307–10
competition, 321–22
coregulation of iron transport and pectinases in *E. chrysanthemi* 3937, 319–20
*Erwinia amylovora*, 315–16
*Erwinia chrysanthemi*, 319–21
Fur paradigm, 316–17
Fur repressor, 320–21
future research, 325–26
genetics of iron transport, 317–19
infection, 311–12
introduction, 307–10
iron as nutritional factor for pathogenic bacteria, 310–11
iron-withholding response, 321–22
molecular signaling, 307–10
oxidative burst, 322–25
oxidative damage, 322–23
pectolytic *Erwinias*, 313–15
plant defense, 321–22

regulatory signal in pathogenicity, 316–21
siderophores, 324–25
PCR genome analysis of bacteria and, 87, 94–95, 99, 101, 103–5, 107, 110–11
*Erysiphe graminis*
evolution of asexual fungi and, 189
Erythromycin
polyketides in *Pseudomonas* spp. and, 177
*Escherichia coli*
iron in plant host-*Erwinia* interactions and, 308, 312, 317–19, 325
PCR genome analysis of bacteria and, 103
polyketides in *Pseudomonas* spp. and, 184
*Eschscholtzia californica*
polyketides in *Pseudomonas* spp. and, 180
"Essentially derived" cultivar
intellectual property protection and, 36
EST projects
*Caenorhabditis elegans* genome and, 251–54
*Eucalyptus* spp.
climate change and plant disease management, 404, 412
Europe
climate change and plant disease management, 404, 411–13, 416
crown gall of grape and, 55–56
evolution of asexual fungi and, 199, 214, 216–18, 220, 224, 230
forest pathology and, 26
host-beneficial microbe interactions and, 475
intellectual property protection and, 44–45
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273–76
Evolution
asexual fungi and, 197–238
bacterial
crown gall of grape and, 53–74
begomoviruses and, 369–93
*Caenorhabditis elegans* genome and, 247–63
Exclusion
climate change and plant disease management, 411
Exemptions
intellectual property protection and, 29

F

Faba bean
host-beneficial microbe interactions and, 479
*Fagus sylvatica*
nematode community structure and, 144
False negatives/positives
PCR genome analysis and, detection, 109–10, 113
Farmer Field School
history of research, 12
Farmers' exemption
intellectual property protection and, 36
Fatty acids
crown gall of grape and, 54
polyketides in *Pseudomonas* spp. and, 176–77
*fct* gene
iron in plant host-*Erwinia* interactions and, 317
Feeder-root pathogens
forest pathology and, 23
Feeding
iron in plant host-*Erwinia* interactions and, 310–11
nematode community structure and, 127–45
Fenton reaction
iron in plant host-*Erwinia* interactions and, 324
Ferrioxamine
iron in plant host-*Erwinia* interactions and, 309, 315, 319
Fertilizers
history of research, 13
nematode community structure and, 141
Field research
intellectual property protection and, 43–44
Fingerprinting
DNA
crown gall of grape and, 59, 68
evolution of asexual fungi and, 211, 214, 217, 220, 223, 229, 232
intellectual property protection and, 39
PCR genome analysis of bacteria and, 81, 85
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 272
Finland
climate change and plant disease management, 408, 414
nematode community structure and, 144
Fir
evolution of asexual fungi and, 221
melanins of phytopathogenic fungi and, 461
Fire blight

iron in plant host-*Erwinia* interactions and, 313
Fire scar
forest pathology and, 21
Fitness
genomic
evolution of asexual fungi and, 234–35
*Flavobacterium balustinum*
biocontrol within context of soil microbial communities and, 440
Flax
phytoalexins and, 292
Florida
begomoviruses and, 390
evolution of asexual fungi and, 216, 230
Fluorescein diacetate
biocontrol within context of soil microbial communities and, 427–40
Fluorescent in situ hybridization (FISH)
PCR genome analysis of bacteria and, 103
Focal front
history of research, 8
Food resource distribution
nematode community structure and, 134
Forests
history of research, 19–27
nematode community structure and, 140, 144
Formae speciales
evolution of asexual fungi and, 212–13, 230
Fot 1 repeated DNA element
evolution of asexual fungi and, 230
foxR gene
iron in plant host-*Erwinia* interactions and, 315, 319
Foxtail barley
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 276
France
crown gall of grape and, 54, 56
intellectual property protection and, 35
tomato-*Cladosporium fulvum* interaction and, 342
Freedom to operate
intellectual property protection and
acquisition of intellectual property rights, 32–33
background, 30–31
case histories, 47–48
changing practice of research, 42–47
company payment to university for access to information that is eventually published and made available to the world, 31–32
copyright, 33
exemption of research from accusations of patent infringement, 42–43
extensive patent filings on plant transformation technology and effect on research, 44–46
field research, 43–44
international plant breeder rights, 29, 35–36
introduction, 29–30
laboratory research, 42–43
overview, 48–50
ownership of intellectual property rights in an invention, 41
patents, 32–35
plant patents, 33–35
plant utility patents, 37–39
plant variety protection certificates, 35–36
protecting rights in new plant cultivars, 33–41
researcher obtains proprietary materials from colleague to use in research project, 46–47
technology transfer, 31–41
trademarks, 32–41
Free radicals
iron in plant host-*Erwinia* interactions and, 322–24
Freezing
crown gall of grape and, 69–70
Fruit
climate change and plant disease management, 407–8
intellectual property protection and, 34, 44
iron in plant host-*Erwinia* interactions and, 315, 321, 324
PCR genome analysis of bacteria and, 112
Fruit mummies
melanins of phytopathogenic fungi and, 452
*Fulvia fulva*
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
Fungi
asexual
evolution of, 197–238
climate change and plant disease management, 409, 415
forest pathology and, 21, 23–24
host-beneficial microbe interactions and, 473–87
intellectual property protection and, 35
iron in plant host-*Erwinia* interactions and, 309
melanins of

phytopathogenic fungi and, 447–63
nematode community structure and, 136
polyketides in *Pseudomonas* spp. and, 175–90
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–75, 277–79
tomato-*Cladosporium fulvum* interaction and, 335–60
*fur* gene
iron in plant host-*Erwinia* interactions and, 316–17, 320–21, 325–26
*Fusarium* spp.
biocontrol within context of soil microbial communities and, 428, 432
evolution of asexual fungi and, 198–99, 205–6, 208, 210, 216, 227–30
forest pathology and, 23
host-beneficial microbe interactions and, 485
phytoalexins and, 294
Fusiform rust
forest pathology and, 24
Fuzzy numbers
climate change and plant disease management, 416–17

G

GacS/GacA two-component regulatory system
polyketides in *Pseudomonas* spp. and, 188
*Gaeumannomyces graminis*
melanins of phytopathogenic fungi and, 447–63
phytoalexins and, 285
polyketides in *Pseudomonas* spp. and, 184
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
*Gal4* gene
melanins of phytopathogenic fungi and, 451
Galls
crown gall of grape and, 53–74
evolution of asexual fungi and, 228
Geminiviruses
whitefly-transmitted, 369–93
Genbank database
*Caenorhabditis elegans* genome and, 252
Genealogy
gene
evolution of asexual fungi and, 213, 220, 232, 235–36
GENEFINDER project
*Caenorhabditis elegans* genome and, 250–51, 262
"Gene gun" transformation technology
intellectual property protection and, 44
Gene mapping
*Caenorhabditis elegans* genome and, 258–60
General Agreement on Tariffs and Trade (GATT)
intellectual property protection and, 45
General circulation models
climate change and plant disease management, 415–16, 418
Genetic diversity mapping
PCR genome analysis of bacteria and, 53, 81, 84, 89, 113
Genetic drift
*Caenorhabditis elegans* genome and, 253, 259
evolution of asexual fungi and, 202–3
PCR genome analysis of bacteria and, 92
Genetic engineering
crown gall of grape and, 73
polyketides in *Pseudomonas* spp. and, 189–90
Genetic isolation
evolution of asexual fungi and, 202–7, 212–13, 216–17, 229, 236
Genetics
begomoviruses and, 369–93
*Caenorhabditis elegans* genome and, 247–63
evolution of asexual fungi and, 197–38
host-beneficial microbe interactions and, 473–87
intellectual property protection and, 29, 34, 36–41, 43–46, 48
iron in plant host-*Erwinia* interactions and, 307–26
melanins of phytopathogenic fungi and, 427–63
PCR genome analysis of bacteria and, 81–114
phytoalexins and, 285–300
polyketides in *Pseudomonas* spp. and, 175–90
RNA viral 3′-untranslated regions and, 151–68
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–69, 271–72, 277–79

tomato-*Cladosporium fulvum* interaction and, 335–60
Geographical distribution
begomoviruses and, 369–93
climate change and plant disease management, 399, 403–4
evolution of asexual fungi and, 216–17
Georgia
intellectual property protection and, 48
Germany
climate change and plant disease management, 408, 413
crown gall of grape and, 56
Germplasm
intellectual property protection and, 43–45
*Gibberella fujikuroi* complex
evolution of asexual fungi and, 204, 206, 216, 231–32
*Gibberella* spp.
evolution of asexual fungi and, 206
phytoalexins and, 295
Global warming
climate change and plant disease management, 399–419
*Globodera* spp.
*Caenorhabditis elegans* genome and, 254, 257
nematode community structure and, 134, 144
*Glomerella* spp.
evolution of asexual fungi and, 212, 216
*Glomus* spp.
evolution of asexual fungi and, 236
host-beneficial microbe interactions and, 480–81
Glume blotch
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270
*Glycine max*
nematode community structure and, 129
Glyphospate
intellectual property protection and, 41
*gpd* gene
tomato-*Cladosporium fulvum* interaction and, 341
Grains
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
Gramicidin
polyketides in *Pseudomonas* spp. and, 181
Granaticin
polyketides in *Pseudomonas* spp. and, 189
Grapes
crown gall of, 53–74
phytoalexins and, 298
"Grapevine colonization package"
crown gall of grape and, 66
Grasses
evolution of asexual fungi and, 214
nematode community structure and, 137, 140, 142
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270–72, 274, 276
Great Plains
evolution of asexual fungi and, 215
Green pepper
phytoalexins and, 288
Growth
host-beneficial microbe interactions and, 473–87
gst1 promoter
tomato-*Cladosporium fulvum* interaction and, 359
Guatemala
begomoviruses and, 380

## H

H1 resistance gene
*Caenorhabditis elegans* genome and, 257
Haber-Weiss reaction
iron in plant host-*Erwinia* interactions and, 322
Habitat fragmentation
history of research, 11
*Haemophilus influenzae*
iron in plant host-*Erwinia* interactions and, 312
polyketides in *Pseudomonas* spp. and, 183
Haiti
forest pathology and, 26
Halo blight
PCR genome analysis of bacteria and, 100
Hardwoods
forest pathology and, 21
Hardy-Weinberg equilibrium
evolution of asexual fungi and, 211, 218
*Hcf* genes
tomato-*Cladosporium fulvum* interaction and, 338–39
*Hcr* genes
tomato-*Cladosporium fulvum* interaction and, 348–52
Heartrot diseases
forest pathology and, 20
*Helicotylenchus* spp.
nematode community

structure and, 131–32, 134–35, 138
*Hemileia vastatrix*
history of research, 9
Hepting GH, 19–27
Herbicide resistance
intellectual property protection and, 41, 48
Herbivores
iron in plant host-*Erwinia* interactions and, 321
nematode community structure and, 133–34
*Heterobasidion annosum*
evolution of asexual fungi and, 209, 221
*Heterodera* spp.
*Caenorhabditis elegans* genome and, 247, 255, 257–62
nematode community structure and, 128, 132, 134, 137–39
Heterokaryons
evolution of asexual fungi and, 224, 228
Heteropolymeric terminal structures
non-TLS
RNA viral 3′-untranslated regions and, 157–58
*Heterorhabditis* spp.
nematode community structure and, 133
Heterothallic fungi
evolution of asexual fungi and, 197, 207–26
*het* gene
evolution of asexual fungi and, 216, 224
High external input agriculture (HEIA)
history of research, 13
Himalayas
evolution of asexual fungi and, 214
Histidine
crown gall of grape and, 62
tomato-*Cladosporium fulvum* interaction and, 342
Histopine
crown gall of grape and, 62
*Histoplasma capsulatum*
evolution of asexual fungi and, 208, 213, 219
Historical time
evolution of asexual fungi and, 219–20
Hoffman-LaRoche Laboratories
intellectual property protection and, 42–43
Homokaryons
evolution of asexual fungi and, 224
Homothallic fungi
evolution of asexual fungi and, 197, 207, 209, 211, 231
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 276
Honduras
begomoviruses and, 378, 380
host-beneficial microbe interactions and, 478
*Hordeum* spp.
nematode community structure and, 142
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 274–77
Horizon of disease spread
history of research, 8
Horizontal resistance
history of research, 7
Host-adapted pathogen populations
genetic diversity of PCR genome analysis and, 92–93
Host-beneficial microbe interactions
host variation and
arbuscular mycorrhizal fungi, 479–81
biocontrol agents and plant growth promoting rhizobacteria, 481–82
future research, 486–87
introduction, 473–74
quantifying host effects on interactions with beneficial plant-associated microbes, 484–86
rhizobia, 474–79
rhizosphere microflora, 483–84
Host defense
tomato-*Cladosporium fulvum* interaction and, 335
Host-pathogen interactions
climate change and plant disease management, 399–19
crown gall of grape and, 59–60
Host preference
evolution of asexual fungi and, 212–13
Host range
begomoviruses and, 369–93
Host resistance
*Caenorhabditis elegans* genome and, 247–63
climate change and plant disease management, 408–9
tomato-*Cladosporium fulvum* interaction and, 345, 347, 352–53, 355, 359–60
Host specificity
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 275

*hrp-dsp* gene cluster
iron in plant host-*Erwinia* interactions and, 315, 324
*hrp* gene
PCR genome analysis of bacteria and, 108–9
Hungary
crown gall of grape and, 56, 59
Hyperparasites
forest pathology and, 24
Hypersensitive response
crown gall of grape and, 67
Hypervariability
evolution of asexual fungi and, 203
Hyphopodia
melanins of phytopathogenic fungi and, 447–63
*Hypocrea jecroina*
evolution of asexual fungi and, 205

I

iaa genes
crown gall of grape and, 57, 61–64
IBM Corporation
intellectual property protection and, 45
Idaho
evolution of asexual fungi and, 228
forest pathology and, 24
Illinois
intellectual property protection and, 47–48
Immigration
evolution of asexual fungi and, 219
Immunocapture technique
crown gall of grape and, 72
Impact assessment
climate change and plant disease management, 399–419
*inaZ* gene
iron in plant host-*Erwinia* interactions and, 317
Indexing
for A. vitis
crown gall of grape and, 70–72
India
begomoviruses and, 371–72, 374, 376, 389–90, 393
evolution of asexual fungi and, 214
Induced systemic resistance
biocontrol within context of soil microbial communities and, 427–40
Infection
iron in plant host-*Erwinia* interactions and, 311–12
phytoalexins and, 291–92
Informatics
PCR genome analysis of bacteria and, 81
Infringement
patent
intellectual property protection and, 42–43
Initial cultivar
intellectual property protection and, 36
Injury minimization culture practices
crown gall of grape and, 53
Insect resistance genes
intellectual property protection and, 48
Insertion elements
crown gall of grape and, 62, 71
Integrated pest management (IPM)
history of research, 7, 13
Intellectual property protection
freedom to operate and, 29–50
International plant breeder rights
intellectual property protection and, 29, 35–36
International Tree Disease Register
forest pathology and, 19
International Union for the Protection of New Varieties of Plants (UPOV)
intellectual property protection and, 35
*Inventions*
ownership of intellectual property rights in, 41
*ipt* oncogene
crown gall of grape and, 59–60, 63, 99
Iron
withholding and exchanging
interactions between *Erwinia* spp. and plant hosts, 307–26
Isoleucine
tomato-*Cladosporium fulvum* interaction and, 342
Israel
begomoviruses and, 374, 376, 384, 390–91
host-beneficial microbe interactions and, 475
Italy
crown gall of grape and, 68
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 274
Iterons
begomoviruses and, 374
ITS-PCR
genomic analysis of bacteria and, 81, 104
PCR genome analysis of bacteria and, 102–3

Ivory Coast
begomoviruses and, 371

J

Jaccard's coefficient
PCR genome analysis of bacteria and, 90
Japan
*Caenorhabditis elegans* genome and, 250
evolution of asexual fungi and, 226
Johnsongrass
evolution of asexual fungi and, 212
Jointvetch
evolution of asexual fungi and, 216
Jump spread
history of research, 9

K

*Kalanchoe tubiflora*
crown gall of grape and, 60
Kansas
nematode community structure and, 132
Kenya
begomoviruses and, 371, 389
Kiwifruit
climate change and plant disease management, 407

L

Laboratory research
intellectual property protection and, 29, 42–43
*Labronema* spp.
nematode community structure and, 133
Lag effects
nematode community structure and, 135
Land management
nematode community structure and, 139–43
Land races
host-beneficial microbe interactions and, 480
Laos
climate change and plant disease management, 412
Latin America
climate change and plant disease management, 412
evolution of asexual fungi and, 213–14
Leaf blotch
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270, 274, 276, 278
Leaf curl
begomoviruses and, 370, 373–74, 376, 379–82, 384–87, 390–91
climate change and plant disease management, 408
Leaf spot
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
"Leaky" expression patterns
tomato-*Cladosporium fulvum* interaction and, 360
Leaves
iron in plant host-*Erwinia* interactions and, 321–22, 324–25
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 277
*Lepiota* spp.
evolution of asexual fungi and, 236
*Leptonchus* spp.
nematode community structure and, 133
*Leptosphaeria* spp.
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–68, 270–71, 273, 276
Leucine
polyketides in *Pseudomonas* spp. and, 181
tomato-*Cladosporium fulvum* interaction and, 341, 346–47, 354
Licensing of discoveries
intellectual property protection and, 29
Lichens
nematode community structure and, 144
Ligase chain reaction (LCR)
PCR genome analysis of bacteria and, 103
Likelihood ratio test
evolution of asexual fungi and, 201
Linkage analysis
*Caenorhabditis elegans* genome and, 258–60
evolution of asexual fungi and, 201
*Linum marginale*
evolution of asexual fungi and, 215
Lipopolysaccharide (LPS)
crown gall of grape and, 55
*Listeria monocytogenes*
iron in plant host-*Erwinia* interactions and, 312, 326
Litigation
intellectual property protection and, 42
Little barley
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 275
Little-leaf disease
forest pathology and, 23
Localization studies
phytoalexins and, 293–94
Loculoascomycetes
*Septoria* and *Stagonospora* spp. on small-grain

cereals and, 267, 270
*Lolium* spp.
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 272
*Longidorus* spp.
nematode community structure and, 132
Loss-of-meiosis mutations
evolution of asexual fungi and, 231
*Lotus corniculatus*
host-beneficial microbe interactions and, 484
Low external input agriculture (LEIA)
history of research, 13
Low host range (LHR) strains
crown gall of grape and, 54
Lucerne
nematode community structure and, 140
*Lycopersicon* spp.
crown gall of grape and, 60, 66
tomato-*Cladosporium fulvum* interaction and, 335–60
Lysine
polyketides in *Pseudomonas* spp. and, 182
Lysopine
crown gall of grape and, 62

**M**

Macrohyphae
ectotrophic
melanins of phytopathogenic fungi and, 447–63
Macrolides
polyketides in *Pseudomonas* spp. and, 177
Madagascar
begomoviruses and, 371
*Magnaporthe grisea*
evolution of asexual fungi and, 208, 214
melanins of phytopathogenic fungi and, 450–51, 462
phytoalexins and, 296
Maize
begomoviruses and, 377
evolution of asexual fungi and, 212
intellectual property protection and, 44
nematode community structure and, 129, 135–36
tomato-*Cladosporium fulvum* interaction and, 352, 358
See also Corn; *Zea mays*
Malawi
begomoviruses and, 384
*Malva parviflora*
begomoviruses and, 380
*Maravalia cryptostegiae*
climate change and plant disease management, 405
*Mastrevirus genus*
begomoviruses and, 377, 383
Materials transfer agreements
intellectual property protection and, 29, 47, 49
Maturity index
nematode community structure and, 143
Mean free path
history of research, 9
*Medicago sativa*
nematode community structure and, 142
Mediterranean region
begomoviruses and, 375
climate change and plant disease management, 412
Meiospores
evolution of asexual fungi and, 197, 199, 205–6, 211, 217, 219, 236
*Melampsora* spp.
climate change and plant disease management, 404
evolution of asexual fungi and, 210, 215
phytoalexins and, 292
Melanins
phytopathogenic fungi and
chemical properties of melanin polymers, 448–50
deposition of melanin, 457–59
DHN melanin biosynthesis, 450–52
fungal development, 459–60
fungal ecology, 460–63
future research, 463
introduction, 447–63
phytopathogenesis, 452–57
*Meloidogyne* spp.
*Caenorhabditis elegans* genome and, 252, 255, 261–62
nematode community structure and, 132, 138
Messenger RNA (mRNA)
intellectual property protection and, 39
melanins of phytopathogenic fungi and, 459
RNA viral 3′-untranslated regions and, 151–68
Metabolism
crown gall of grape and, 67
Methiopine
crown gall of grape and, 62
Mexico
evolution of asexual fungi and, 214
Michigan
intellectual property protection and, 38

nematode community structure and, 129
*Microbotryum violaceum*
evolution of asexual fungi and, 209, 226
Microorganisms
See Bacteria; Phytobacteria
Migration
*Caenorhabditis elegans* genome and, 260
of sexual progeny
evolution of asexual fungi and, 215–16
Millet
evolution of asexual fungi and, 214
Mimicry
RNA viral 3′-untranslated regions and, 151–68
Mimosa
forest pathology and, 23
Minnesota
evolution of asexual fungi and, 212
intellectual property protection and, 37
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 276
Minus-strand RNA
replication intermediate
RNA viral 3′-untranslated regions and, 151–68
Mississippi
forest pathology and, 21
Mitochondrial DNA (mtDNA)
evolution of asexual fungi and, 222, 224, 229–30
Mitospores
evolution of asexual fungi and, 197, 205–26, 230–31, 236
*moc* gene
PCR genome analysis of bacteria and, 108
Molecular microbial ecology
PCR genome analysis of bacteria and, 82
Molecular resistance breeding
tomato-*Cladosporium fulvum* interaction and, 357–60
Molecular signaling
iron in plant host-*Erwinia* interactions and, 307–10
Monic acid
polyketides in *Pseudomonas* spp. and, 183
*Monilinia fructicola*
melanins of phytopathogenic fungi and, 452, 460
Monoacetylphloroglucinol (MAPG)
polyketides in *Pseudomonas* spp. and, 184–85
Monocots
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270–71
Monocultures
evolution of asexual fungi and, 223
Monocyclic disease
history of research, 9
Monokaryons
evolution of asexual fungi and, 221–22
*Mononchus* spp.
nematode community structure and, 133
Monsanto Company
intellectual property protection and, 39–41
Morocco
evolution of asexual fungi and, 230
Morphology
evolution of asexual fungi and, 197, 227
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
*6-MSAS* genes
polyketides in *Pseudomonas* spp. and, 189–90
Mugineic acid
iron in plant host-*Erwinia* interactions and, 309
Multigenic control
host-beneficial microbe interactions and, 473–87
Multiple hosts
evolution of asexual fungi and, 211–12
PCR genome analysis and, detection, 108–9
Mupirocin
polyketides in *Pseudomonas* spp. and, 175, 183–84
Mutational hypotheses
evolution of asexual fungi and, 233–35
Mycelium
melanins of phytopathogenic fungi and, 447–63
*Mycoplasma* spp.
polyketides in *Pseudomonas* spp. and, 183
*Mycosphaerella* spp.
evolution of asexual fungi and, 198, 208, 217
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267, 269, 272

## N

National Institues of Health (NIH)
intellectual property protection and, 47
National parks
forest pathology and, 19
Naturally regenerated stands

forest pathology and, 19
"Nearest neighbors/nearest relatives"
PCR genome analysis of bacteria and, 82, 106
Nebraska
nematode community structure and, 143
*nec1* gene
PCR genome analysis of bacteria and, 99
Necrosis
crown gall of grape and, 54, 67, 74
*Nectria hematococca*
phytoalexins and, 295, 297, 299
Negative regulation
RNA viral 3′-untranslated regions and, 151–68
*Neisseria* spp.
iron in plant host-*Erwinia* interactions and, 312
polyketides in i *Pseudomonas* spp. and, 183
Nematodes
*Caenorhabditis elegans* genome and, 247–63
climate change and plant disease management, 413
community structure and coexistence of species, 129
crop management, 139–43
direct and indirect effect of plants on nematode communities, 134–38
diversity, 128–29
feeding types, 132–34
food resource distribution, 134
increased leakage from nematode-infected roots, 136–38
introduction, 127–28
land management, 139–43
long-term ecological field experiments, 134–36
overview, 128–29, 144–45
scale, 129–32
soil condition, 143–44
soil type, 138–43
Netherlands
tomato-*Cladosporium fulvum* interaction and, 342
*Neurospora* spp.
evolution of asexual fungi and, 209, 222, 224, 226
Neutral loci
evolution of asexual fungi and, 202–3
New plant cultivars
intellectual property protection and, 33–41
New York State
crown gall of grape and, 68,72
forest pathology and, 20
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 276, 278
New Zealand
climate change and plant disease management, 407
forest pathology and, 26
nematode community structure and, 135, 137, 139–42
*Nicotiana* spp.
begomoviruses and, 378, 380, 390–91
crown gall of grape and, 60
phytoalexins and, 291
tomato-*Cladosporium fulvum* interaction and, 344–45, 351, 358
*nifD* gene
host-beneficial microbe interactions and, 484
Nigeria
begomoviruses and, 376
Nitrogen fixation
host-beneficial microbe interactions and, 473–87
*nod* genes
host-beneficial microbe interactions and, 475–76, 479
*noeD* gene
host-beneficial microbe interactions and, 475–76
*Nonchus* spp.
nematode community structure and, 130
Nopaline
crown gall of grape and, 59, 61, 63–64
North America
climate change and plant disease management, 402
evolution of asexual fungi and, 211, 213–15, 220–21
forest pathology and, 25
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273–74, 276
North Carolina
evolution of asexual fungi and, 223
forest pathology and, 20, 24–25
nematode community structure and, 131–32, 143
*nos* gene
crown gall of grape and, 63
NTSYS-pc computer package
PCR genome analysis of bacteria and, 90
Nucleic acid variation
evolution of asexual fungi and, 197–98, 201, 228
Nurseries
crown gall of grape and, 54
forest pathology and, 19, 25
race, 6
Nutrients
climate change and plant disease management, 410

host-beneficial microbe interactions and, 473–87
iron in plant host-*Erwinia* interactions and, 310–11
nematode community structure and, 127–45
*Nygolaimus* spp.
nematode community structure and, 133

O

Oak
climate change and plant disease management, 412
forest pathology and, 24
Oats
climate change and plant disease management, 405
crown gall of grape and, 68
evolution of asexual fungi and, 211, 215
phytoalexins and, 285
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 269–70, 272–73, 275–76
*ocs* gene
crown gall of grape and, 57, 63–64
Octopine
crown gall of grape and, 56, 61–63
Octopinic acid
crown gall of grape and, 62
*Oidium lycopersicum*
tomato-*Cladosporium fulvum* interaction and, 344, 359
Oklahoma
PCR genome analysis of bacteria and, 106
Okra
begomoviruses and, 371, 376–77, 381–82, 385–88, 392
Old-growth forests
forest pathology and, 19
Oleoresin
forest pathology and, 24
*Onchocerca volvulus*
*Caenorhabditis elegans* genome and, 252
Oncogenes
crown gall of grape and, 60–61, 63–64
PCR genome analysis of bacteria and, 99
One-crop-one-disease issues
history of research, 12
One in One in Ten Thousand Problem
PCR genome analysis of bacteria and, 112
Onion
phytoalexins and, 285
*Ophiosphaerella herpotricha*
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
*Ophiostoma* spp.
evolution of asexual fungi and, 198, 205, 208, 211, 218, 234
melanins of phytopathogenic fungi and, 460
Opines
crown gall of grape and, 53–54, 56, 58–59, 61–64, 68
Oregon
evolution of asexual fungi and, 228
Organic farming
history of research, 13
Organic matter
biocontrol within context of soil microbial communities and, 427–40
Ornamental horticulture
intellectual property protection and, 33–34
Ownership
intellectual property protection and, 41
Oxidative burst
iron in plant host-*Erwinia* interactions and, 307, 322–25
tomato-*Cladosporium fulvum* interaction and, 355–56
Oxidative damage
iron in plant host-*Erwinia* interactions and, 322–23
Oxygen
iron in plant host-*Erwinia* interactions and, 317, 322–24
Ozone
forest pathology and, 25

P

Pacific Northwest
climate change and plant disease management, 413
evolution of asexual fungi and, 215
*pad* mutants
phytoalexins and, 295–96
Pakistan
begomoviruses and, 370–71, 376, 381–82, 384–90, 392–93
Panmixis
evolution of asexual fungi and, 211
*Pantoea* spp.
biocontrol within context of soil microbial communities and, 430, 432, 438–40
PCR genome analysis of bacteria and, 95–96, 103
Parasexuality
evolution of asexual fungi and, 228
Parasites
biocontrol within context of soil microbial communities and, 427–40

*Caenorhabditis elegans* genome and, 247–63
climate change and plant disease management, 413
iron in plant host-*Erwinia* interactions and, 307–26
phytoalexins and, 292–93
polyketides in *Pseudomonas* spp. and, 175–90
Parks
forest pathology and, 19
Parsimony tree length permutation test (PTLPT)
evolution of asexual fungi and, 200–1, 229
Partial resistance
history of research, 7
Partition homogeneity test
evolution of asexual fungi and, 201
"Pass-through" rights
intellectual property protection and, 47
Patent Cooperation Treaty
intellectual property protection and, 45
Patents
intellectual property protection and, 29, 32–35, 42–46
Pathogenicity
biocontrol within context of soil microbial communities and, 427–40
climate change and plant disease management, 399–419
crown gall of grape and, 53–74
evolution of asexual fungi and, 197–238
iron in plant host-*Erwinia* interactions and, 307–26
melanins of phytopathogenic fungi and, 447–63
PCR genome analysis of bacteria and, 81–114
phytoalexins and, 285–300
polyketides in *Pseudomonas* spp. and, 184
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
tomato-*Cladosporium fulvum* interaction and, 335–60
Pathway-specific regulators
polyketides in *Pseudomonas* spp. and, 188–89
pCOR1 plasmid
PCR genome analysis of bacteria and, 100
*pda* gene
phytoalexins and, 295, 297, 299
Pea
host-beneficial microbe interactions and, 475–76, 479
Peach
climate change and plant disease management, 408
Peach palm
host-beneficial microbe interactions and, 479
Pear
iron in plant host-*Erwinia* interactions and, 324
Pearl millet
host-beneficial microbe interactions and, 479
Peat
biocontrol within context of soil microbial communities and, 427–40
Pecan
evolution of asexual fungi and, 216
Pectinases
iron in plant host-*Erwinia* interactions and, 319–20, 326
*pehA* gene
crown gall of grape and, 57, 66–67, 71–72
*pel* genes
iron in plant host-*Erwinia* interactions and, 319–20
*Penicillium* spp.
biocontrol within context of soil microbial communities and, 430
evolution of asexual fungi and, 206–7
Pepper
PCR genome analysis of bacteria and, 98
PEPSCAN analysis
tomato-*Cladosporium fulvum* interaction and, 342
*Peridermium harknessi*
evolution of asexual fungi and, 210, 228
*Peronospora parasitica*
phytoalexins and, 296
Pesticides
history of research, 13
PFAM alignment
*Caenorhabditis elegans* genome and, 251, 254, 262
Pfister Hybrid Corn Company
intellectual property protection and, 48
*Pg* genes
climate change and plant disease management, 405
*Phaeosphaeria* spp.
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–71, 274–76
*Phaseolus* spp.
phytoalexins and, 299
*Phellinus werii*

melanins of phytopathogenic fungi and, 461
Phenylalanine
tomato-*Cladosporium fulvum* interaction and, 341–42
*Phialophora* spp.
melanins of phytopathogenic fungi and, 447, 453, 457
*phl* genes
polyketides in *Pseudomonas* spp. and, 184, 189
Phloem
crown gall of grape and, 69
*Phoma wasabiae*
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
Photochemical oxidants
forest pathology and, 25
Phylogenetic species concept
evolution of asexual fungi and, 197, 204
Phylogeny
begomoviruses and, 375, 381
crown gall of grape and, 56, 59, 74
evolution of asexual fungi and, 200, 206, 229–31
PCR genome analysis and, 81–82, 87–89
RNA viral 3′-untranslated regions and, 153
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 268, 272–73
Physical genetic mapping
*Caenorhabditis elegans* genome and, 258–60
Phytoactin
forest pathology and, 24
Phytoalexins
analysis of evidence, 296–98
biosynthesis, 288–90
defense, 291–92
distribution, 287–88
elicitation/elicitors, 290–91
field research, 298–99
history of research, 286
infection, 291–92
introduction, 285–86
localization studies, 293–94
Méller's research, 286
mutants, 295–96
overview, 299–300
parasite-specific resistance, 292–93
pathogen tolerance to phytoalexins and virulence, 294–95
race-specific resistance, 292–93
structure, 287–88
transgenic plants, 296
Phytobacteria
PCR genome analysis and AFLP analysis, 87–88
anonymous DNA as amplification target, 100
AP-PCR/RAPD, 85
applications of genetic diversity methods, 90–93
ARDRA, 104–5
bringing new PCR-based technique into laboratory, 112–13
bringing order to large and poorly characterized bacterial populations, 91
classification potential of genomic fingerprinting protocols, 90–91
computer-assisted pattern analysis, 89–90
detection, 93–107
diagnosis, 93–107
diversity assessment, 85–93
false negatives, 110
false positives, 109–10
genetic diversity, 90–93
genomic fingerprinting, 85–90, 93–99
innovative protocols, 107–9
insufficient and excess sensitivity for pathogen detection, 110–11
introduction, 81–84
ITS-PCR, 103–4
nonviable cell detection, 112
overview, 84–85, 113–14
pathogenicity genes as targets, 99–100
pathogen identification and detection via specific genes and sequences, 99–101
pathogen identification via genomic fingerprinting, 93, 98–99
PCR reaction inhibitors, 111–12
phylogenetic and taxonomic levels of resolution, facilities and reproducibility, 87–89
plasmid DNA as target, 100–1
practical considerations, 109–13
rDNA-PCR, 101, 102–3
16S rDNA-PCR, 105–6
REP-PCR, 85–87
ribosomal DNA-based PCR analysis, 101–6
sample size, 112
specific primers to detect genetically distinct pathogens that cause similar disease symptoms, 107
specific primers to detect

multiple pathogens that cause different disease symptoms, 107–8
specific primers to detect related pathogens on multiple hosts, 108–9
tRNA-PCR, 106–7
See also Bacteria
*Phytophthora* spp.
biocontrol within context of soil microbial communities and, 427–28, 431, 436, 438
climate change and plant disease management, 404, 408, 410, 412
evolution of asexual fungi and, 198, 208, 214
history of research, 8
phytoalexins and, 291, 294
tomato-*Cladosporium fulvum* interaction and, 344
Phytotoxins
polyketides in *Pseudomonas* spp. and, 175, 178–83
Pigmentation
melanins of phytopathogenic fungi and, 447–63
Pine
climate change and plant disease management, 406
evolution of asexual fungi and, 211, 216, 221, 228
forest pathology and, 23–25
nematode community structure and, 140
Pitch canker disease
evolution of asexual fungi and, 216
forest pathology and, 24
*pks1* mutant
melanins of phytopathogenic fungi and, 451
Plantations
nematode community structure and, 140
Plant parasite index
nematode community structure and, 143
Plant patents
intellectual property protection and, 33–35
Plant-pathogen interactions
climate change and plant disease management, 399–19
phytoalexins and, 290
tomato-*Cladosporium fulvum* interaction and, 335–60
Plant transformation technology
intellectual property protection and, 44–46
Plant variety protection (PVP) certificate
intellectual property protection and, 33, 35–36, 38–39, 46
Plant Variety Protection Act (PVPA)
intellectual property protection and, 35–36
Planted stands
forest pathology and, 19
Plasmids
crown gall of grape and, 53–74
iron in plant host-*Erwinia* interactions and, 312, 317
PCR genome analysis of bacteria and, 99–101, 110
polyketides in *Pseudomonas* spp. and, 181
*Plectus* spp.
nematode community structure and, 130
PLOTSIMILARITY program
begomoviruses and, 381–82
*plt* genes
polyketides in *Pseudomonas* spp. and, 186–87, 189
Poland
nematode community structure and, 141
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 274
tomato-*Cladosporium fulvum* interaction and, 342
Pollen
intellectual property protection and, 44
Pollution
forest pathology and, 19, 25
Poly(A)tail
RNA viral 3′-untranslated regions and, 151–68
Polycyclic disease
history of research, 8–9
Polyetic disease
history of research, 9–10
Polyketides
*Pseudomonas* spp. and, 175–90
Polymerase chain reaction (PCR)
crown gall of grape and, 53, 59, 72, 74
evolution of asexual fungi and, 203–4, 229
genome analysis of phytobacteria and, 81–114
intellectual property protection and, 42–43
reaction inhibitors and, 111–12
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 278

tomato-*Cladosporium fulvum* interaction and, 336
Polymers
melanin
phytopathogenic fungi and, 447–63
Polymorphisms
begomoviruses and, 383
evolution of asexual fungi and, 200–3, 211–12, 214–18, 226–29
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 272, 275–78
tomato-*Cladosporium fulvum* interaction and, 336
Pome fruit
climate change and plant disease management, 407
Pomodae
iron in plant host-*Erwinia* interactions and, 313, 315
Poplar
climate change and plant disease management, 404
Population genetics
evolution of asexual fungi and, 197–38
PCR genome analysis of bacteria and, 81
Positive strand RNA viral genomes
RNA viral 3′-untranslated regions and, 151–68
*Potamopyrgus antipodarum*
evolution of asexual fungi and, 233
Potato
begomoviruses and, 376
*Caenorhabditis elegans* genome and, 257
climate change and plant disease management, 410, 414
crown gall of grape and, 66
evolution of asexual fungi and, 216
host-beneficial microbe interactions and, 484
iron in plant host-*Erwinia* interactions and, 313–14
nematode community structure and, 144
PCR genome analysis of bacteria and, 93, 100, 104, 107, 111–12
phytoalexins and, 295
tomato-*Cladosporium fulvum* interaction and, 344
*Potyvirus* genus
begomoviruses and, 391
*pqqF* mutation
polyketides in *Pseudomonas* spp. and, 188
*Pratylenchus* spp.
nematode community structure and, 131–32, 134–35, 138
Primers
crown gall of grape and, 71–72
evolution of asexual fungi and, 203
PCR genome analysis of bacteria and, 81, 85, 91, 94–102, 104–9
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 278
tomato-*Cladosporium fulvum* interaction and, 336
*Pristionchus pacificus*
*Caenorhabditis elegans* genome and, 252
Proline
polyketides in *Pseudomonas* spp. and, 187, 190
Promega Corporation
intellectual property protection and, 43
Promoters
PCR genome analysis of bacteria and, 101
RNA viral 3′-untranslated regions and, 151–68
Propagation material
*A. vitis*-free
crown gall of grape and, 72–73
Proprietary materials
intellectual property protection and, 46–47
*Prunus* spp.
polyketides in *Pseudomonas* spp. and, 180
Pseudohomothallism
evolution of asexual fungi and, 199, 207, 209, 224–26
Pseudoknots
upstream
RNA viral 3′-untranslated regions and, 166–67
*Pseudomonas* spp.
biocontrol within context of soil microbial communities and, 430–39
crown gall of grape and, 65
host-beneficial microbe interactions and, 482
iron in plant host-*Erwinia* interactions and, 317
PCR genome analysis of bacteria and, 90, 92, 94, 96, 100, 102–4, 107, 113
phytoalexins and, 291, 293, 296
polyketides and antifungals, 184–89
carbon source, 188
coronatine, 178–83
2,4-diacetylphloroglucinol, 184–85
GacS/GacA

two-component regulatory system, 188
genetic engineering, 189–90
genetics, 181, 184
introduction, 175–78
mupirocin, 183–84
pathway-specific regulators, 188–89
pyoluterin, 185–87
regulation, 182–83, 188–89
sigma factors, 188
tomato-*Cladosporium fulvum* interaction and, 356–58
Pseudomonic acid
polyketides in *Pseudomonas* spp. and, 183
Pseudo-recombination
begomoviruses and, 369–93
*ps-vis* gene
crown gall of grape and, 63
*Pto* gene
tomato-*Cladosporium fulvum* interaction and, 358
pTOM36 antisense construct
intellectual property protection and, 39, 43
*Puccinia* spp.
evolution of asexual fungi and, 198, 209–11, 215, 220, 230, 233
history of research, 2–3, 5–6
phytoalexins and, 293
Puerto Rico
begomoviruses and, 371
forest pathology and, 26
Pulse labeling
nematode community structure and, 127, 137
PUZZLE program
begomoviruses and, 376
Pyoliteorin
polyketides in *Pseudomonas* spp. and, 175
Pyoluterin
polyketides in *Pseudomonas* spp. and, 185–88, 190
Pyoverdin
iron in plant host-*Erwinia* interactions and, 317
polyketides in *Pseudomonas* spp. and, 185
Pyrenocheata lycopersici
biocontrol within context of soil microbial communities and, 436
*Pyricularia* spp.
climate change and plant disease management, 414
melanins of phytopathogenic fungi and, 462
Pyrrolnitrin
polyketides in *Pseudomonas* spp. and, 185
*Pythium* spp.
biocontrol within context of soil microbial communities and, 427–29, 431–33, 436–38, 440

## Q

Quality of life
forest pathology and, 19
Quarantine
climate change and plant disease management, 411

## R

Race nurseries
history of research, 6
Race-specific resistance
phytoalexins and, 292–93
Radish
biocontrol within context of soil microbial communities and, 432
climate change and plant disease management, 406
*Radopholus similis*
*Caenorhabditis elegans* genome and, 261
*Ralstonia* spp.
crown gall of grape and, 66
iron in plant host-*Erwinia* interactions and, 322
PCR genome analysis of bacteria and, 94, 96, 103, 106
RAPD analysis
crown gall of grape and, 59
evolution of asexual fungi and, 203, 218, 227, 230
"Reach-in" rights
intellectual property protection and, 47
recA mutant
iron in plant host-*Erwinia* interactions and, 325
Receptors
tomato-*Cladosporium fulvum* interaction and, 335–60
Recognitional specificites
tomato-*Cladosporium fulvum* interaction and, 335, 348–51
Recombination
begomoviruses and, 369–93
evolution of asexual fungi and, 196–37
Red Queen hypothesis
evolution of asexual fungi and, 233–34
Regional impact assessment
climate change and plant disease management, 407–8
Repetitive DNA PCR-based genomic fingerprinting

PCR genome analysis of bacteria and, 81, 85–87
*Rep* gene
begomoviruses and, 379, 381, 384, 386–87, 389
Replicons
RNA viral 3′-untranslated regions and, 151–68
Reproduction over time
evolution of asexual fungi and, 218–20
Reshuffling
tomato-*Cladosporium fulvum* interaction and, 335
Residential landscapes
forest pathology and, 19
Resistance
biocontrol within context of soil microbial communities and, 427–40
tomato-*Cladosporium fulvum* interaction and, 335–60
Restriction fragment length polymorphisms (RFLPs)
crown gall of grape and, 53, 56, 59, 74
evolution of asexual fungi and, 203, 211–12, 214–18, 229
PCR genome analysis of bacteria and, 81
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 272, 275–77
*rfbC* gene
crown gall of grape and, 66, 71–72
*Rhabditis* spp.
nematode community structure and, 130, 133
*Rhadinaphelenchus cocophilus*
nematode community structure and, 134
*Rhizobium* spp.
crown gall of grape and, 54–55, 58, 62, 74
iron in plant host-*Erwinia* interactions and, 326
*Rhizoctonia solani*
biocontrol within context of soil microbial communities and, 427–28, 431–34, 436
climate change and plant disease management, 407
evolution of asexual fungi and, 209, 217–18
*Rhodococcus fascians*
PCR genome analysis of bacteria and, 98
*Rhynchosporium secalis*
evolution of asexual fungi and, 210
*Ribes* spp.
evolution of asexual fungi and, 212
Ribosomal DNA (rDNA)
evolution of asexual fungi and, 215, 218, 230
Ribosomal DNA-based PCR analysis (rDNA-PCR)
PCR genome analysis and, 101–6
Ribosomal RNA (rRNA)
crown gall of grape and, 55, 58–59
host-beneficial microbe interactions and, 483
Rice
climate change and plant disease management, 413–14
evolution of asexual fungi and, 214, 218
melanins of phytopathogenic fungi and, 447–63
PCR genome analysis of bacteria and, 103
Rifampicin
crown gall of grape and, 68
Risk assessment
climate change and plant disease management, 399–419
RNA interference (RNAi)
*Caenorhabditis elegans* genome and, 249
RNA plant viruses
begomoviruses and, 369–93
RNA replication
RNA viral 3′-untranslated regions and, 151–68
Rocky Mountains
evolution of asexual fungi and, 211, 215, 220
Root camouflage
host-beneficial microbe interactions and, 483
Root-knots
*Caenorhabditis elegans* genome and, 261–62
Roots
biocontrol within context of soil microbial communities and, 429, 431
crown gall of grape and, 69
evolution of asexual fungi and, 221
melanins of phytopathogenic fungi and, 447–63
nematode community structure and, 127–45
PCR genome analysis of bacteria and, 91
polyketides in *Pseudomonas* spp. and, 185
Rootstocks
crown gall of grape and, 70
*ror* genes
*Caenorhabditis elegans* genome and, 258–59
Rots
biocontrol within context

of soil microbial communities and, 429, 431
climate change and plant disease management, 413
forest pathology and, 22
iron in plant host-*Erwinia* interactions and, 313, 321
PCR genome analysis of bacteria and, 107
phytoalexins and, 295
polyketides in *Pseudomonas* spp. and, 185
Soft rot
iron in plant host-*Erwinia* interactions and, 313, 321
PCR genome analysis of bacteria and, 107
*Rotylenchus* spp.
nematode community structure and, 130, 138
*Rpg4* gene
phytoalexins and, 291
*rrn* operon
crown gall of grape and, 57–58
PCR genome analysis of bacteria and, 101–2
Runner hyphae
melanins of phytopathogenic fungi and, 453
tomato-*Cladosporium fulvum* interaction and, 337
Rusts
climate change and plant disease management, 404–5, 408, 413
evolution of asexual fungi and, 211–12, 214–15, 220, 228, 233
forest pathology and, 24
phytoalexins and, 292
Rye
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 269–70, 274, 276
Ryegrass
PCR genome analysis of bacteria and, 100
polyketides in *Pseudomonas* spp. and, 180

## S

*Saccharomyces cerevisiae*
evolution of asexual fungi and, 234
melanins of phytopathogenic fungi and, 451
*Saccharum officinarum*
nematode community structure and, 129
Sanford Scientific, Inc.
intellectual property protection and, 44
Sap
crown gall of grape and, 69
Saplings
forest pathology and, 19
Saprophytes
crown gall of grape and, 68
PCR genome analysis of bacteria and, 101
Sardinia
begomoviruses and, 373–74, 376, 391
Scion cultivars
crown gall of grape and, 70
*Sclerotinia* spp.
climate change and plant disease management, 407
evolution of asexual fungi and, 198, 209, 222–24, 230
phytoalexins and, 298
*Sclerotium* spp.
biocontrol within context of soil microbial communities and, 430–31
Seasonality
crown gall of grape and, 69
nematode community structure and, 131
Secondary metabolism
phytoalexins and, 285–300
Seedlings
PCR genome analysis of bacteria and, 103
Seeds
intellectual property protection and, 29, 36–38, 40, 47–48
PCR genome analysis of bacteria and, 84, 101, 111–12
*Seinura* spp.
nematode community structure and, 133
Selection pressure
begomoviruses and, 378
evolution of asexual fungi and, 201, 203, 220
PCR genome analysis of bacteria and, 92
Self-fertilization
evolution of asexual fungi and, 211
Senegal
begomoviruses and, 371
*Septoria* spp.
taxonomy and identification of small-grain cereals and, 267–79
Serratia marcescens
iron in plant host-*Erwinia* interactions and, 312, 317
Sexual propagation
intellectual property protection and, 35
Sexual recombination
evolution of asexual fungi and, 215–16, 231–36
Sexual rust
evolution of asexual fungi and, 228

Shade trees
diseases of, 19
Shannon-Weiner diversity index
nematode community structure and, 137
"Shifty enemies"
PCR genome analysis of bacteria and, 92
*Shigella* spp.
iron in plant host-*Erwinia* interactions and, 312
Shiitake mushroom
melanins of phytopathogenic fungi and, 461
Shoots
crown gall of grape and, 73
Short tandem repeats (STRs)
evolution of asexual fungi and, 201, 203
Short-term changes
evolution of asexual fungi and, 219–20
Sibling species
evolution of asexual fungi and, 212–13
Sicily
begomoviruses and, 391
*Sida rhombifolia*
begomoviruses and, 378, 380
Siderophores
iron in plant host-*Erwinia* interactions and, 307–26
polyketides in *Pseudomonas* spp. and, 185
Sierra Nevada mountains
evolution of asexual fungi and, 228
Sigma factors
polyketides in *Pseudomonas* spp. and, 188
Signal transduction
iron in plant host-*Erwinia* interactions and, 307–10
tomato-*Cladosporium fulvum* interaction and, 335, 353
Singapore
begomoviruses and, 379
Single-nucleotide polymorphisms (SNPs)
evolution of asexual fungi and, 201, 203
Single-stranded DNA (ssDNA)
begomoviruses and, 369–93
*Sinorhizobium* spp.
crown gall of grape and, 54
PCR genome analysis of bacteria and, 108
*Sitobion avenae*
climate change and plant disease management, 411
*6B* gene
crown gall of grape and, 64, 72
Small-grain cereals
*Septoria* and *Stagonospora* spp. on
common names for Septoria/Stagonospora diseases, 278–79
disease identification, 277–78
identification, 268–71
introduction, 267–68
*Leptosphaeria* spp., 270–71
*Phaeosphaeria* spp., 270–71
*Septoria passerinii*, 273–74
*Septoria secalis*, 274
*Septoria* spp., 270–74
*Septoria tritici*, 271–73
*Septoria tritici* f. *avenae*, 273
*Stagonospora avenae*, 275–77
*Stagonospora nodorum*, 274–75
*Stagonospora* spp., 270, 274–77
Smuts
evolution of asexual fungi and, 226
Soft rot
iron in plant host-*Erwinia* interactions and, 313, 321
PCR genome analysis of bacteria and, 107
Soil
crown gall of grape and, 53, 68–70
forest pathology and, 25
microorganisms biocontrol and, 427–40
nematode community structure and, 127–45
PCR genome analysis of bacteria and, 112
*Sorghum halapense*
evolution of asexual fungi and, 212
South Africa
begomoviruses and, 376
crown gall of grape and, 56, 73
evolution of asexual fungi and, 216
Southern blot analysis
begomoviruses and, 390
crown gall of grape and, 69
tomato-*Cladosporium fulvum* interaction and, 348
Soybean
host-beneficial microbe interactions and, 475, 477–81
intellectual property protection and, 37–38, 44–48
nematode community structure and, 129
phytoalexins and, 291, 293

polyketides in *Pseudomonas* spp. and, 180–81
Spain
begomoviruses and, 391
Spatial distribution
evolution of asexual fungi and, 197, 207, 213–18
space, time and diversity, 1–14
Specific suppression
biocontrol within context of soil microbial communities and, 431–32
Speckled leaf blotch
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 270, 273, 275, 278
Sphagnum peat
biocontrol within context of soil microbial communities and, 427–40
*Sporothrix schenkii*
evolution of asexual fungi and, 205
Spread mechanisms
history of research, 8
Spruce
evolution of asexual fungi and, 221
Squash
begomoviruses and, 376, 378, 380
*Stagonospora* spp.
taxonomy and identification of small-grain cereals and, 267–79
*Staphylococcus* spp.
polyketides in *Pseudomonas* spp. and, 183
State parks
forest pathology and, 19
St. Croix
forest pathology and, 26
"Stealth" determinants
tomato-*Cladosporium fulvum* interaction and, 338
Stem rot
iron in plant host-*Erwinia* interactions and, 313
Stewart's bacterial wilt
PCR genome analysis of bacteria and, 103
Stone fruits
intellectual property protection and, 44
Strawberry
intellectual property protection and, 34
PCR genome analysis of bacteria and, 112
*Streptomyces* spp.
PCR genome analysis of bacteria and, 98–99
polyketides in *Pseudomonas* spp. and, 175, 189–90
Stress
disease
forest pathology and, 19–27
*Strongyloides stercoralis*
*Caenorhabditis elegans* genome and, 252
Stump sprouts
forest pathology and, 21
*Stylosanthes scabra*
climate change and plant disease management, 405, 407–9
Substrate-dependent phenomenon
biocontrol within context of soil microbial communities and, 427–40
Sudan
begomoviruses and, 389
Sugar beet
biocontrol within context of soil microbial communities and, 432
climate change and plant disease management, 406, 413
intellectual property protection and, 44
nematode community structure and, 128
Sugarcane
crown gall of grape and, 69
nematode community structure and, 129
PCR genome analysis of bacteria and, 93, 106, 112
*Suillus pungens*
evolution of asexual fungi and, 209
Sulfonylurea
nematode community structure and, 136
Survival
crown gall of grape and, 68–70
evolution of asexual fungi and, 213
Sweden
nematode community structure and, 140
Switzerland
evolution of asexual fungi and, 199
*sym-2* gene
host-beneficial microbe interactions and, 475–76
Synapomorphic markers
crown gall of grape and, 58
*syr* genes
PCR genome analysis of bacteria and, 100

## T

Taiwan
begomoviruses and, 390
Take-all
melanins of phytopathogenic fungi and, 447–63

*Talaromyces* spp.
evolution of asexual fungi and, 206–7
Targeting
PCR genome analysis and, 100–1
Tartrate utilization plasmids
crown gall of grape and, 65–66
Taxonomy
begomoviruses and, 379, 391–92
biocontrol within context of soil microbial communities and, 427–40
crown gall of grape and, 53–74
evolution of asexual fungi and, 207, 231, 235
PCR genome analysis of bacteria and, 83, 88–89, 91
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–79
Technology transfer
intellectual property protection and, 29–50
Teleomorphs
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 267–68, 272, 274–76
Teliospores
evolution of asexual fungi and, 212, 226
melanins of phytopathogenic fungi and, 460
Telomeres
RNA viral 3′-untranslated regions and, 159–60, 165–66
Temperature
climate change and plant disease management, 405–6
Temporal factors
evolution of asexual fungi and, 197, 207, 218–20
history of research, 8–9
Tennessee
forest pathology and, 24
Terbuthylazine
nematode community structure and, 136
Tetracenomycin
polyketides in *Pseudomonas* spp. and, 177, 189
Texas
evolution of asexual fungi and, 218, 227
PCR genome analysis of bacteria and, 106
Thailand
begomoviruses and, 371, 376, 391
climate change and plant disease management, 412
*Thanatephorus* spp.
evolution of asexual fungi and, 217
*Thielaviopsis basicola*
polyketides in *Pseudomonas* spp. and, 184
Threonine
tomato-*Cladosporium fulvum* interaction and, 342
*thr* mutant
melanins of phytopathogenic fungi and, 456–57
Time constant
history of research, 8–9
Ti plasmid
crown gall of grape and, 53, 56–61, 67–69, 72–74
7-*TMG* gene
*Caenorhabditis elegans* genome and, 255
Tobacco
begomoviruses and, 371, 387
crown gall of grape and, 67, 74
iron in plant host-*Erwinia* interactions and, 324
phytoalexins and, 288
Tobacco mosaic virus (TMV)
RNA viral 3′-untranslated regions and, 151–68
Tomato
begomoviruses and, 370–71, 373–74, 379–80, 384–87, 390–91
*Cladosporium fulvum* and, 335–60
host-beneficial microbe interactions and, 482, 484–85
intellectual property protection and, 38–39, 43
PCR genome analysis of bacteria and, 93, 98, 111–13
phytoalexins and, 290
polyketides in *Pseudomonas* spp. and, 180–82
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 273
*Torula* herbarum
melanins of phytopathogenic fungi and, 453
*Toxocara canis*
*Caenorhabditis elegans* genome and, 252
Trademarks
intellectual property protection and, 29, 32–33, 39–41
Transfer DNA (tDNA)
crown gall of grape and, 53, 60–64, 71
Transfer RNA (tRNA)-like structure

RNA viral 3′-untranslated regions and, 151–68
Transgenes
begomoviruses and, 383
crown gall of grape and, 53, 73
intellectual property protection and, 43
phytoalexins and, 296
tomato-*Cladosporium fulvum* interaction and, 345, 347, 358–59
Translation
RNA viral 3′-untranslated regions and, 151–68
*Transposa* spp.
evolution of asexual fungi and, 212–13
Transposons
crown gall of grape and, 65–66
tomato-*Cladosporium fulvum* interaction and, 349–50, 358
Trees
climate change and plant disease management, 412
evolution of asexual fungi and, 221
forest pathology and, 19–27
iron in plant host-*Erwinia* interactions and, 321
melanins of phytopathogenic fungi and, 461
T-RFLPS
PCR genome analysis of bacteria and, 81
*Trichoderma* spp.
biocontrol within context of soil microbial communities and, 430, 432–34, 440
evolution of asexual fungi and, 205
melanins of phytopathogenic fungi and, 461
*Trichostrongylus vitrinus*
*Caenorhabditis elegans* genome and, 252
Tricyclazole
melanins of phytopathogenic fungi and, 458
*Trifolium* spp.
host-beneficial microbe interactions and, 474
nematode community structure and, 137
Triticale
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 275–76
tRNA PCR
genomic analysis of bacteria and, 81, 106–7
*Trypanosoma brucei*
iron in plant host-*Erwinia* interactions and, 312
Tryptophan
crown gall of grape and, 61
ttu genes
crown gall of grape and, 57, 59, 65
*Tuberculina maxima*
forest pathology and, 24
Tumors
crown gall of grape and, 53–74
Turkey
host-beneficial microbe interactions and, 475
Turnip yellow mosaic virus (TYMV)
RNA viral 3′-untranslated regions and, 151–68
Two-component system
tomato-*Cladosporium fulvum* interaction and, 335–60
Two-host requirement
evolution of asexual fungi and, 211–12
*Tylenchorynchus* spp.
nematode community structure and, 137
*Tylenchus* spp.
nematode community structure and, 130, 132
Tylosin
polyketides in *Pseudomonas* spp. and, 181
Tyrocidine
polyketides in *Pseudomonas* spp. and, 181
Tyrosine
tomato-*Cladosporium fulvum* interaction and, 342

## U

Uganda
begomoviruses and, 384, 387, 389
*uidA* gene
polyketides in *Pseudomonas* spp. and, 182
United Kingdom
evolution of asexual fungi and, 199
United States
begomoviruses and, 371, 376, 378, 387, 389–90
*Caenorhabditis elegans* genome and, 250
climate change and plant disease management, 400, 407
crown gall of grape and, 55–56, 59
evolution of asexual fungi and, 212, 214, 216, 218, 223–24, 227–28, 230
forest pathology and, 19–27
intellectual property

protection and, 31–48
nematode community structure and, 129, 131–32, 143
PCR genome analysis of bacteria and, 106
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 275–77
tomato-*Cladosporium fulvum* interaction and, 342
United States Department of Agriculture (USDA)
forest pathology and, 20–27
intellectual property protection and, 35–36, 44–45
Universities
intellectual property protection and, 29–50
3′-Untranslated regions (3′-UTRS)
*Caenorhabditis elegans* genome and, 253
of positive strand RNA viral genomes
brome mosaic virus, 165–66
case studies, 162–67
cellular mRNAs, 160–62
experimental support for roles, 162–67
future research, 167–68
introduction, 151–52
minus strand promotion, 158–59
minus strand synthesis, 162–65
modulation of translational expression, 161–62
non-TLS heteropolymeric terminal structures, 157–58
packaging, 160
phylogeny, 153
poly(A) tail, 156–57
potential roles, 158–62
promoters, 162–66
regulation of access to minus strand origin, 160
replicons, 158–60
repressors, 162–65
RNA stability, 160–61
targeting of RNA to specific subcellular sites, 162
telomeres, 159–60, 165–66
tobacco mosaic virus, 166–67
tRNA-like structures, 154–56
turnip yellow mosaic virus, 162–65
upstream pseudoknots in enhancing translational expression, 166–67
variety in 3′-terminal structure, 152–53
5′-Untranslated regions (5′-UTRS)
*Caenorhabditis elegans* genome and, 253
*Uromyces* spp.
evolution of asexual fungi and, 209, 212
phytoalexins and, 291
tomato-*Cladosporium fulvum* interaction and, 357
Uruguay
intellectual property protection and, 45
*Ustilago* spp.
evolution of asexual fungi and, 226
melanins of phytopathogenic fungi and, 460
Utah
intellectual property protection and, 34
Utility patents
intellectual property protection and, 29, 37–39

V

*Vacuma* spp.
evolution of asexual fungi and, 212–13
Variety protection
intellectual property protection and, 29, 33, 35–36
Vegetative compatibility groups (VCGs)
evolution of asexual fungi and, 216, 222–23, 227–30
*Venturia inequalis*
melanins of phytopathogenic fungi and, 457
Vermont
crown gall of grape and, 68
intellectual property protection and, 34
*Verticillium* spp.
evolution of asexual fungi and, 198, 210
melanins of phytopathogenic fungi and, 452
phytoalexins and, 293–94
*Vibrio cholerae*
iron in plant host-*Erwinia* interactions and, 317–18
vic gene
evolution of asexual fungi and, 216
Vietnam
climate change and plant disease management, 412
Vines
crown gall of grape and, 53–74
*vir* genes
crown gall of grape and, 57–58, 60–61, 63–64, 69, 71, 73
evolution of asexual fungi

and, 215, 217
PCR genome analysis of bacteria and, 99–100
phytoalexins and, 285–300
tomato-*Cladosporium fulvum* interaction and, 335–60
Viruses
begomoviruses and, 369–93
climate change and plant disease management, 404
RNA viral 3′-untranslated regions and, 151–68
*Vitis vivifera*
evolution of asexual fungi and, 212
Vitopine
crown gall of grape and, 58–59, 63–64

W

*Wangiella dermatidis*
melanins of phytopathogenic fungi and, 457
Washington, DC
forest pathology and, 23
Washington State
crown gall of grape and, 72
evolution of asexual fungi and, 228
forest pathology and, 24
Watersheds
forest pathology and, 19
Weeds
nematode community structure and, 137
Wheat
climate change and plant disease management, 402, 411, 413
evolution of asexual fungi and, 211, 219
host-beneficial microbe interactions and, 479
melanins of phytopathogenic fungi and, 452
PCR genome analysis of bacteria and, 99
*Septoria* and *Stagonospora* spp. on small-grain cereals and, 269–70, 272, 274–78
Wheat stripe rust
history of research, 2–3, 5–6
White clover
nematode community structure and, 137
Whiteflies
begomoviruses and, 369–93
White pine blister rust
evolution of asexual fungi and, 211
forest pathology and, 20, 24–25
Wide host range (WHR) strains
crown gall of grape and, 54
Wisconsin
intellectual property protection and, 43
Wood products
decay and discoloration
forest pathology and], 19, 21–23
iron in plant host-*Erwinia* interactions and, 321
Work made for hire
intellectual property protection and, 33
WUBLASTX program
*Caenorhabditis elegans* genome and, 252–55, 262
*Wuchereria bancroftii*
*Caenorhabditis elegans* genome and, 252

X

*Xanthomonas* spp.
biocontrol within context of soil microbial communities and, 432
crown gall of grape and, 66
PCR genome analysis of bacteria and, 87, 90–94, 96–97, 99–104, 106–13
phytoalexins and, 293
tomato-*Cladosporium fulvum* interaction and353
*Xiphinema* spp.
nematode community structure and, 130, 138–39
*Xylella fastidiosa*
PCR genome analysis of bacteria and, 97
Xylem
crown gall of grape and, 69
evolution of asexual fungi and, 218
iron in plant host-*Erwinia* interactions and, 316, 321

Y

Yellow poplar
forest pathology and, 22
Yellow vine disease of cucurbits
PCR genome analysis of bacteria and, 97
Yugoslavia
PCR genome analysis of bacteria and, 99

Z

Zadoks JC, 1–14
*Zea mays*
nematode community structure and, 129, 135–36
See also Corn; Maize
Zeneca Corporation
intellectual property protection and, 43
Zymodemes
evolution of asexual fungi and, 228